



FULL THROTTLE CVT PLUS AUTOMATIC TRANSMISSION FLUID

— Fully Synthetic

Benefits

- Exceptional anti-wear performance
- Improved anti-shudder
- Improved oxidation performance
- Year-round protection
- High and low temperature performance
- Enhanced CVT and slip-lock performance
- Extended equipment life
- Compatibility with factory fill automatic transmission fluids

Packaging

Code	Container Size	Package
58032	1 quart / 946 ml	12 per case
58128	1 gallon / 3.8 L	4 per case

Description

A premium automatic transmission fluid offering outstanding performance benefits for virtually every automatic transmission on the road. This well-engineered product is a unique blend of synthetic base oils coupled with a multifunctional additive system for unsurpassed protection and performance.

Inventory Optimizer

Full Throttle CVT Plus ATF is compatible with today's high-performance transmissions including continuously variable transmissions (CVT), transmissions that require slip-lock fluid technology, as well as older vehicles. This unmatched compatibility allows for inventory simplification and reduces the risk of misapplication.

This premium fluid was engineered to exceed stringent performance requirements of transmission manufacturers worldwide. It provides exceptional performance in automatic transmissions manufactured by General Motors, Ford, Chrysler, BMW, Honda, Mercedes Benz, VW, Hyundai, KIA, Honda, Nissan, Mitsubishi, Toyota and others.

— See **Performance Applications**

Performance Testing

Extensive testing demonstrates Full Throttle CVT Plus ATF's exceptional performance in the laboratory and on the road. This product endures the industry's most severe wear tests to ensure its chemistry and engineering will continue to meet or exceed stringent performance requirements set by manufacturers worldwide.

Performance Applications

Aisin Warner AW-1	DEXRON® VI	MAN 339F	Nissan Matic-J	Voith 55.6336.XX
Allison C-4	Esso LT 71141	MAN 339 V1	Nissan Matic-K	(G1363)
Allison TES-295	Ford Type F	MAN 339 V2	Saab 93 165 147	Volvo 97340
Allison TES-389	Ford MERCON®	MAN 339 Z1	Shell 3403	VW G 052 025-A2
Audi G 052 025-A2	Ford MERCON® V	MAN 339 Z2	Shell LA2634	VW G-052-162-AI
Audi G-052-162-A1	Ford MERCON® SP	MAN 339 Z3	Shell M-1375.4	ZF TE-ML 03D
BMW 7045E	Ford MERCON® LV	Mazda ATF-M III	Subaru ATF	ZF TE-ML 04D
BMW LA2634	Honda ATF-Z1	Mazda ATF-MV	Texaco ETL-7045	ZF TE-ML 09
BMW LT 71141	Hyundai SP-II	Mercedes Benz 236.1,	Texaco ETL-8072B	ZF TE-ML 14A
Chrysler ATFs	Hyundai SP-III	236.2, 236.5, 236.6,	Texaco N402	ZF TE-ML 14B
DEXRON®	Idemitsu K17	236.7, 236.9, 236.10	Toyota T-III	ZF TE-ML 14C
DEXRON®-II	JASO 1-A	and 236.12	Toyota T-IV	ZF TE-ML 16L
DEXRON®-II D	JWS 3309	Mitsubishi Diamond SP-II	Toyota WS	ZF TE-ML 17C
DEXRON®-III G	Kia SP-11	Mitsubishi Diamond SP-III	Voith 55.6335.XX	CVT
DEXRON®-III H	Kia SP-III	Nissan Matic-D	(G607)	